

### Product datasheet for RC204260L2

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## Acetyl CoA synthetase (ACSS2) (NM\_018677) Human Tagged Lenti ORF Clone

**Product data:** 

**Product Type:** Expression Plasmids

**Product Name:** Acetyl CoA synthetase (ACSS2) (NM\_018677) Human Tagged Lenti ORF Clone

Tag: mGFP

Symbol: Acetyl CoA synthetase

Synonyms: ACAS2; ACECS; AceCS1; ACS; ACSA; dJ1161H23.1

Mammalian Cell None

Selection:

**Vector:** pLenti-C-mGFP (PS100071)

E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide The ORF insert of this clone is exactly the same as(RC204260).

Sequence:

**Restriction Sites:** Sgfl-Mlul

Cloning Scheme:





st The last codon before the Stop codon of the ORF.

**ACCN:** NM\_018677

ORF Size: 2103 bp



#### Acetyl CoA synthetase (ACSS2) (NM\_018677) Human Tagged Lenti ORF Clone - RC204260L2

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

**RefSeq:** <u>NM 018677.2</u>

 RefSeq Size:
 2988 bp

 RefSeq ORF:
 2106 bp

 Locus ID:
 55902

 UniProt ID:
 Q9NR19

Cytogenetics: 20q11.22

**Domains:** AMP-binding

**Protein Pathways:** Glycolysis / Gluconeogenesis, Metabolic pathways, Propanoate metabolism, Pyruvate

metabolism

**MW:** 78.6 kDa


**Gene Summary:** This gene encodes a cytosolic enzyme that catalyzes the activation of acetate for use in lipid

synthesis and energy generation. The protein acts as a monomer and produces acetyl-CoA from acetate in a reaction that requires ATP. Expression of this gene is regulated by sterol regulatory element-binding proteins, transcription factors that activate genes required for the synthesis of cholesterol and unsaturated fatty acids. Alternative splicing results in multiple

transcript variants. [provided by RefSeq, Jul 2009]



# **Product images:**



Circular map for RC204260L2