

Product datasheet for RC204307L2

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Aconitase 2 (ACO2) (NM_001098) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: Aconitase 2 (ACO2) (NM_001098) Human Tagged Lenti ORF Clone

Tag: mGFP

Symbol: Aconitase 2

Synonyms: ACONM; HEL-S-284; ICRD; OCA8; OPA9

Mammalian Cell None

Selection:

Vector: pLenti-C-mGFP (PS100071)

E. coli Selection: Chloramphenicol (34 ug/mL)


ORF Nucleotide The ORF insert of this clone is exactly the same as(RC204307).

Sequence:

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF.

ACCN: NM_001098

ORF Size: 2340 bp





Aconitase 2 (ACO2) (NM_001098) Human Tagged Lenti ORF Clone - RC204307L2

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 001098.2</u>

RefSeq Size: 2744 bp RefSeq ORF: 2343 bp

Locus ID: 50

 UniProt ID:
 Q99798

 Cytogenetics:
 22q13.2

Domains: Aconitase C, aconitase

Protein Pathways: Citrate cycle (TCA cycle), Glyoxylate and dicarboxylate metabolism, Metabolic pathways

MW: 85.43 kDa

Gene Summary: The protein encoded by this gene belongs to the aconitase/IPM isomerase family. It is an


enzyme that catalyzes the interconversion of citrate to isocitrate via cis-aconitate in the second step of the TCA cycle. This protein is encoded in the nucleus and functions in the mitochondrion. It was found to be one of the mitochondrial matrix proteins that are

preferentially degraded by the serine protease 15(PRSS15), also known as Lon protease, after

oxidative modification. [provided by RefSeq, Jul 2008]



Product images:



Circular map for RC204307L2