

Product datasheet for RC204431L2

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Ubiquitin D (UBD) (NM_006398) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: Ubiquitin D (UBD) (NM_006398) Human Tagged Lenti ORF Clone

Tag: mGFP

Symbol: Ubiquitin D

Synonyms: FAT10; GABBR1; UBD-3

Mammalian Cell None

Selection:

Vector: pLenti-C-mGFP (PS100071)

E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide The ORF insert of this clone is exactly the same as(RC204431).

Sequence:

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF.

ACCN: NM_006398

ORF Size: 495 bp



Ubiquitin D (UBD) (NM_006398) Human Tagged Lenti ORF Clone - RC204431L2

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

Note: Plasmids are not sterile. For experiments where strict sterility is required, filtration with

0.22um filter is required.

RefSeq: <u>NM 006398.2</u>

 RefSeq Size:
 1006 bp

 RefSeq ORF:
 498 bp

 Locus ID:
 10537

 UniProt ID:
 015205

 Cytogenetics:
 6p22.1

Domains: UBQ

Protein Families: Druggable Genome

MW: 18.5 kDa


Gene Summary: This gene encodes a protein which contains two ubiquitin-like domains and appears to have

similar function to ubiquitin. Through covalent attachment, the encoded protein targets other proteins for 26S proteasome degradation. This protein has been implicated to function in many cellular processes, including caspase-dependent apoptosis, formation of aggresomes, mitotic regulation, and dendritic cell maturation. Upregulation of this gene may promote inflammation in chronic kidney disease and has been observed in many cancer types.

[provided by RefSeq, Aug 2017]



Product images:



Circular map for RC204431L2