

Product datasheet for RC206517L2

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Bonzo (CXCR6) (NM_006564) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: Bonzo (CXCR6) (NM_006564) Human Tagged Lenti ORF Clone

Tag: mGFP Symbol: Bonzo

Synonyms: BONZO; CD186; CDw186; STRL33; TYMSTR

Mammalian Cell None

Selection:

Vector:pLenti-C-mGFP (PS100071)E. coli Selection:Chloramphenicol (34 ug/mL)

ORF Nucleotide The ORF insert of this clone is exactly the same as(RC206517).

Sequence:

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF.

ACCN: NM_006564

ORF Size: 1026 bp



Bonzo (CXCR6) (NM_006564) Human Tagged Lenti ORF Clone - RC206517L2

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 006564.1</u>

 RefSeq Size:
 1953 bp

 RefSeq ORF:
 1029 bp

 Locus ID:
 10663

 UniProt ID:
 000574

 Cytogenetics:
 3p21.31

Domains: 7tm 1

Protein Families: Druggable Genome, GPCR, Transmembrane

Protein Pathways: Chemokine signaling pathway, Cytokine-cytokine receptor interaction

MW: 39.3 kDa

Gene Summary: The protein encoded by this gene is a G protein-coupled receptor with seven transmembrane

domains that belongs to the CXC chemokine receptor family. This family also includes CXCR1, CXCR2, CXCR3, CXCR4, CXCR5, and CXCR7. This gene, which maps to the chemokine receptor gene cluster, is expressed in several T lymphocyte subsets and bone marrow stromal cells. The encoded protein and its exclusive ligand, chemokine ligand 16 (CCL16), are part of a signalling pathway that regulates T lymphocyte migration to various peripheral tissues (the liver, spleen red pulp, intestine, lungs, and skin) and promotes cell-cell interaction with dendritic cells and fibroblastic reticular cells. CXCR6/CCL16 also controls the localization of resident memory T lymphocytes to different compartments of the lung and maintains airway


resident memory T lymphocytes, which are an important first line of defense against

respiratory pathogens. The encoded protein serves as an entry coreceptor used by HIV-1 and

SIV to enter target cells, in conjunction with CD4. [provided by RefSeq, Aug 2020]



Product images:



Circular map for RC206517L2