

Product datasheet for RC209443L4

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Uroplakin Ib (UPK1B) (NM_006952) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: Uroplakin Ib (UPK1B) (NM_006952) Human Tagged Lenti ORF Clone

Tag: mGFP

Symbol: Uroplakin Ib

Synonyms: TSPAN20; UPIB; UPK1

Mammalian Cell

Selection:

Puromycin

Vector: pLenti-C-mGFP-P2A-Puro (PS100093)

E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide


The ORF insert of this clone is exactly the same as(RC209443).

Sequence:

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF

ACCN: NM_006952

ORF Size: 780 bp



Uroplakin Ib (UPK1B) (NM_006952) Human Tagged Lenti ORF Clone - RC209443L4

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 006952.3</u>

 RefSeq Size:
 2060 bp

 RefSeq ORF:
 783 bp

 Locus ID:
 7348

 UniProt ID:
 075841

Cytogenetics: 3q13.32

Protein Families: Transmembrane

MW: 29.5 kDa

Gene Summary: The protein encoded by this gene is a member of the transmembrane 4 superfamily, also


known as the tetraspanin family. Most of these members are cell-surface proteins that are characterized by the presence of four hydrophobic domains. The proteins mediate signal transduction events that play a role in the regulation of cell development, activation, growth and motility. This encoded protein is found in the asymmetrical unit membrane (AUM) where it can form a complex with other transmembrane 4 superfamily proteins. It may play a role in normal bladder epithelial physiology, possibly in regulating membrane permeability of superficial umbrella cells or in stabilizing the apical membrane through AUM/cytoskeletal

interactions. The use of alternate polyadenylation sites has been found for this gene.

[provided by RefSeq, Jul 2008]



Product images:



Circular map for RC209443L4