

## Product datasheet for RC210905L2

# OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

### PLA2G12B (NM\_032562) Human Tagged Lenti ORF Clone

#### **Product data:**

**Product Type:** Expression Plasmids

**Product Name:** PLA2G12B (NM\_032562) Human Tagged Lenti ORF Clone

Tag: mGFP

Symbol: PLA2G12B

**Synonyms:** FKSG71; GXIIB; GXIIIsPLA2; PLA2G13; sPLA2-GXIIB

Mammalian Cell None

Selection:

**Vector:** pLenti-C-mGFP (PS100071)

**E. coli Selection:** Chloramphenicol (34 ug/mL)

**ORF Nucleotide** 

The ORF insert of this clone is exactly the same as(RC210905).

Sequence:

**Restriction Sites:** Sgfl-Mlul

**Cloning Scheme:** 





 $<sup>\</sup>ensuremath{^*}$  The last codon before the Stop codon of the ORF.

**ACCN:** NM\_032562

ORF Size: 585 bp





#### PLA2G12B (NM\_032562) Human Tagged Lenti ORF Clone - RC210905L2

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

**RefSeq:** NM 032562.2

 RefSeq Size:
 1092 bp

 RefSeq ORF:
 588 bp

 Locus ID:
 84647

 UniProt ID:
 Q9BX93

 Cytogenetics:
 10q22.1

**Protein Families:** Secreted Protein

**Protein Pathways:** alpha-Linolenic acid metabolism, Arachidonic acid metabolism, Ether lipid metabolism, Fc

epsilon RI signaling pathway, Glycerophospholipid metabolism, GnRH signaling pathway, Linoleic acid metabolism, Long-term depression, MAPK signaling pathway, Metabolic

pathways, Vascular smooth muscle contraction, VEGF signaling pathway

**MW:** 21.7 kDa

Gene Summary: The protein encoded by this gene belongs to the phospholipase A2 (PLA2) group of enzymes,


which function in glycolipid hydrolysis with the release of free fatty acids and

lysophospholipids. This family member has altered phospholipid-binding properties and is catalytically inactive. The protein is secreted, and together with microsomal triglyceride transfer protein, it functions to regulate HNF4alpha-induced hepatitis C virus infectivity. The expression of this gene is down-regulated in various tumors, suggesting that it may function as a negative regulator of tumor progression. Alternative splicing of this gene results in

multiple transcript variants. [provided by RefSeq, Dec 2015]



# **Product images:**



Circular map for RC210905L2