

Product datasheet for RC211955L2

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Manic Fringe (MFNG) (NM_002405) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: Manic Fringe (MFNG) (NM_002405) Human Tagged Lenti ORF Clone

Tag: mGFP

Symbol: Manic Fringe

Mammalian Cell None

Selection:

Vector: pLenti-C-mGFP (PS100071)

E. coli Selection: Chloramphenicol (34 ug/mL)


ORF Nucleotide


The ORF insert of this clone is exactly the same as(RC211955).

Sequence:

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





* The last codon before the Stop codon of the ORF.

ACCN: NM_002405

ORF Size: 963 bp

Manic Fringe (MFNG) (NM_002405) Human Tagged Lenti ORF Clone - RC211955L2

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 002405.2</u>

 RefSeq Size:
 2040 bp

 RefSeq ORF:
 966 bp

 Locus ID:
 4242

 UniProt ID:
 000587

Cytogenetics: 22q13.1

Domains: Fringe

Protein Families: Druggable Genome

Protein Pathways: Notch signaling pathway

MW: 36 kDa

Gene Summary: This gene is a member of the glycosyltransferase 31 gene family. Members of this gene

family, which also includes the LFNG (GeneID: 3955) and RFNG (GeneID: 5986) genes, encode evolutionarily conserved glycosyltransferases that act in the Notch signaling pathway to define boundaries during embryonic development. While their genomic structure is distinct


from other glycosyltransferases, these proteins have a fucose-specific beta-1,3-N-

acetylglucosaminyltransferase activity that leads to elongation of O-linked fucose residues on Notch, which alters Notch signaling. The protein encoded by this gene may control Notch

signaling in claudin-low breast cancer. [provided by RefSeq, May 2018]



Product images:



Circular map for RC211955L2