

Product datasheet for RC212791L3V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

CHRM2 (NM_000739) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: CHRM2 (NM 000739) Human Tagged ORF Clone Lentiviral Particle

Symbol: CHRM2
Synonyms: HM2

Mammalian Cell Puromycin

Selection:

Vector:

pLenti-C-Myc-DDK-P2A-Puro (PS100092)

 Tag:
 Myc-DDK

 ACCN:
 NM_000739

 ORF Size:
 1398 bp

ORF Nucleotide

The ORF insert of this clone is exactly the same as(RC212791).

Sequence:

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeg: NM 000739.2

 RefSeq Size:
 2530 bp

 RefSeq ORF:
 1401 bp

 Locus ID:
 1129

 UniProt ID:
 P08172

 Cytogenetics:
 7q33

Protein Families: Druggable Genome, GPCR, Transmembrane





CHRM2 (NM_000739) Human Tagged ORF Clone Lentiviral Particle - RC212791L3V

Protein Pathways: Calcium signaling pathway, Neuroactive ligand-receptor interaction, Regulation of actin

cytoskeleton

MW: 51.5 kDa

Gene Summary: The muscarinic cholinergic receptors belong to a larger family of G protein-coupled receptors.

The functional diversity of these receptors is defined by the binding of acetylcholine to these

receptors and includes cellular responses such as adenylate cyclase inhibition,

phosphoinositide degeneration, and potassium channel mediation. Muscarinic receptors influence many effects of acetylcholine in the central and peripheral nervous system. The muscarinic cholinergic receptor 2 is involved in mediation of bradycardia and a decrease in cardiac contractility. Multiple alternatively spliced transcript variants have been described for

this gene. [provided by RefSeq, Jul 2008]