

Product datasheet for RC213203L3

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Bcl2 Binding component 3 (BBC3) (NM_014417) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: Bcl2 Binding component 3 (BBC3) (NM_014417) Human Tagged Lenti ORF Clone

Tag: Myc-DDK

Symbol: Bcl2 Binding component 3

Synonyms: JFY-1; JFY1; PUMA

Mammalian Cell

Selection:

Vector:

pLenti-C-Myc-DDK-P2A-Puro (PS100092)

Puromycin

E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide

The ORF insert of this clone is exactly the same as(RC213203).

Sequence:

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF.

ACCN: NM_014417

ORF Size: 579 bp



Bcl2 Binding component 3 (BBC3) (NM_014417) Human Tagged Lenti ORF Clone - RC213203L3

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 014417.2</u>

RefSeq Size: 1840 bp
RefSeq ORF: 582 bp
Locus ID: 27113
UniProt ID: Q9BXH1
Cytogenetics: 19q13.32

Protein Families: Druggable Genome

Protein Pathways: Huntington's disease, p53 signaling pathway

MW: 20.4 kDa


Gene Summary: This gene encodes a member of the BCL-2 family of proteins. This family member belongs to

the BH3-only pro-apoptotic subclass. The protein cooperates with direct activator proteins to induce mitochondrial outer membrane permeabilization and apoptosis. It can bind to antiapoptotic Bcl-2 family members to induce mitochondrial dysfunction and caspase activation. Because of its pro-apoptotic role, this gene is a potential drug target for cancer therapy and for tissue injury. Alternative splicing results in multiple transcript variants. [provided by

RefSeq, Dec 2011]



Product images:



Circular map for RC213203L3