

Product datasheet for RC213868L4

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

MEK7 (MAP2K7) (NM_145185) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: MEK7 (MAP2K7) (NM_145185) Human Tagged Lenti ORF Clone

Tag: mGFP Symbol: MEK7

Synonyms: JNKK2; MAPKK7; MEK; MEK 7; MKK7; PRKMK7; SAPKK-4; SAPKK4

Mammalian Cell Puromycin

Selection:

Vector: pLenti-C-mGFP-P2A-Puro (PS100093)

E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide The ORF insert of this clone is exactly the same as(RC213868).

Sequence:

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF

ACCN: NM_145185

ORF Size: 1257 bp





MEK7 (MAP2K7) (NM_145185) Human Tagged Lenti ORF Clone - RC213868L4

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: NM 145185.2

 RefSeq Size:
 3386 bp

 RefSeq ORF:
 1260 bp

 Locus ID:
 5609

 UniProt ID:
 014733

Cytogenetics: 19p13.2

Protein Families: Druggable Genome, Protein Kinase

Protein Pathways: ErbB signaling pathway, Fc epsilon RI signaling pathway, GnRH signaling pathway, MAPK

signaling pathway, Neurotrophin signaling pathway, T cell receptor signaling pathway, Toll-like

receptor signaling pathway

MW: 47.3 kDa

Gene Summary: The protein encoded by this gene is a dual specificity protein kinase that belongs to the MAP

kinase kinase family. This kinase specifically activates MAPK8/JNK1 and MAPK9/JNK2, and this


kinase itself is phosphorylated and activated by MAP kinase kinase kinases including

MAP3K1/MEKK1, MAP3K2/MEKK2, MAP3K3/MEKK5, and MAP4K2/GCK. This kinase is involved in the signal transduction mediating the cell responses to proinflammatory cytokines, and environmental stresses. Alternative splicing results in multiple transcript variants. [provided

by RefSeq, Jul 2014]



Product images:



Circular map for RC213868L4