

Product datasheet for RC215286L2

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Lipin 3 (LPIN3) (NM_022896) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: Lipin 3 (LPIN3) (NM_022896) Human Tagged Lenti ORF Clone

Tag: mGFP Symbol: Lipin 3

Synonyms: dJ620E11.2; LIPN3L; SMP2

Mammalian Cell None

Selection:

Vector:pLenti-C-mGFP (PS100071)E. coli Selection:Chloramphenicol (34 ug/mL)

ORF Nucleotide The ORF insert of this clone is exactly the same as(RC215286).


Sequence:

equence.

Sgfl-Mlul

Restriction Sites: Cloning Scheme:





 $[\]ensuremath{^*}$ The last codon before the Stop codon of the ORF.

ACCN: NM_022896

ORF Size: 2553 bp



Lipin 3 (LPIN3) (NM_022896) Human Tagged Lenti ORF Clone - RC215286L2

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 022896.1</u>

RefSeq Size: 4464 bp
RefSeq ORF: 2556 bp
Locus ID: 64900
Cytogenetics: 20q12

MW: 93.4 kDa

Gene Summary: The protein encoded by this gene is a member of the lipin family of proteins, and all family

members share strong homology in their C-terminal region. This protein is thought to form hetero-oligomers with other lipin family members, while one family member, lipin 1, can also

form homo-oligomers. This protein contains conserved motifs for phosphatidate

phosphatase 1 (PAP1) activity as well as a domain that interacts with a transcriptional coactivator. Lipin complexes act in the cytoplasm to catalyze the dephosphorylation of phosphatidic acid to produce diacylglycerol, which is the precursor of both triglycerides and


phospholipids. Lipin complexes are also thought to regulate gene expression as

transcriptional co-activators in the nucleus. Alternative splicing results in multiple transcript

variants. [provided by RefSeg, Sep 2014]



Product images:



Circular map for RC215286L2