

Product datasheet for RC216035L4V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

BMP1 (NM_006128) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: BMP1 (NM_006128) Human Tagged ORF Clone Lentiviral Particle

Symbol: BMP

Synonyms: bone morphogenetic protein 1; FLJ44432; PCOLC; PCP; pCP-2; procollagen C-endopeptidase;

procollagen C-proteinase; TLD

Mammalian Cell

Selection:

Puromycin

Vector: pLenti-C-mGFP-P2A-Puro (PS100093)

Tag: mGFP

ACCN: NM_006128

ORF Size: 2469 bp

ORF Nucleotide

Sequence:

The ORF insert of this clone is exactly the same as(RC216035).

OTI Disclaimer:

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeq: <u>NM 006128.1</u>, <u>NP 006119.1</u>

RefSeq Size:2853 bpRefSeq ORF:2471 bpLocus ID:649

Cytogenetics: 8p21.3

Domains: CUB, Astacin, EGF_CA, ZnMc, EGF, EGF

Protein Families: Druggable Genome, Protease





BMP1 (NM_006128) Human Tagged ORF Clone Lentiviral Particle - RC216035L4V

MW: 93.1 kDa

Gene Summary: This gene encodes a protein that is capable of inducing formation of cartilage in vivo.

Although other bone morphogenetic proteins are members of the TGF-beta superfamily, this gene encodes a protein that is not closely related to other known growth factors. This gene is expressed as alternatively spliced variants that share an N-terminal protease domain but

differ in their C-terminal region. [provided by RefSeq, Aug 2008]