

Product datasheet for RC216386L3V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

HIST2H2AA3 (H2AC18) (NM 003516) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: HIST2H2AA3 (H2AC18) (NM_003516) Human Tagged ORF Clone Lentiviral Particle

Symbol: H2AC18

Synonyms: H2A; H2a-615; H2A.2; H2A/O; H2A/q; H2AC19; H2AFO; HIST2H2AA; HIST2H2AA3

Mammalian Cell

Selection:

Puromycin

Vector: pLenti-C-Myc-DDK-P2A-Puro (PS100092)

Tag: Myc-DDK
ACCN: NM 003516

ORF Size: 390 bp

ORF Nucleotide

The ORF insert of this clone is exactly the same as(RC216386).

Sequence:

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeg: NM 003516.2

 RefSeq Size:
 534 bp

 RefSeq ORF:
 393 bp

 Locus ID:
 8337

 UniProt ID:
 Q6FI13

 Cytogenetics:
 1q21.2

Domains: H2A, histone

Protein Pathways: Systemic lupus erythematosus





MW:

14.1 kDa

Gene Summary:

Histones are basic nuclear proteins that are responsible for the nucleosome structure of the chromosomal fiber in eukaryotes. Two molecules of each of the four core histones (H2A, H2B, H3, and H4) form an octamer, around which approximately 146 bp of DNA is wrapped in repeating units, called nucleosomes. The linker histone, H1, interacts with linker DNA between nucleosomes and functions in the compaction of chromatin into higher order structures. This gene is intronless and encodes a replication-dependent histone that is a member of the histone H2A family. Transcripts from this gene lack polyA tails but instead contain a palindromic termination element. This gene is found in a histone cluster on chromosome 1. This gene is one of four histone genes in the cluster that are duplicated; this record represents the centromeric copy. [provided by RefSeq, Aug 2015]