

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## Product datasheet for RC217796L4V

## HIST1H2BC (H2BC4) (NM\_003526) Human Tagged ORF Clone Lentiviral Particle

## **Product data:**

Product Type:	Lentiviral Particles
Product Name:	HIST1H2BC (H2BC4) (NM_003526) Human Tagged ORF Clone Lentiviral Particle
Symbol:	H2BC4
Synonyms:	dJ221C16.3; H2B.1; H2B/l; H2BC6; H2BC7; H2BC8; H2BC10; H2BFL; HIST1H2BC
Mammalian Cell Selection:	Puromycin
Vector:	pLenti-C-mGFP-P2A-Puro (PS100093)
Tag:	mGFP
ACCN:	NM_003526
ORF Size:	378 bp
ORF Nucleotide Sequence:	The ORF insert of this clone is exactly the same as(RC217796).
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
RefSeq:	<u>NM 003526.2</u>
RefSeq Size:	438 bp
RefSeq ORF:	381 bp
Locus ID:	8347
UniProt ID:	<u>P62807</u>
Cytogenetics:	6p22.2
Domains:	H2B, histone
Protein Families:	Stem cell - Pluripotency



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

	HIST1H2BC (H2BC4) (NM_003526) Human Tagged ORF Clone Lentiviral Particle – RC217796L4V
--	--

**Protein Pathways:** Systemic lupus erythematosus

MW:

13.7 kDa

Gene Summary:

Histones are basic nuclear proteins that are responsible for the nucleosome structure of the chromosomal fiber in eukaryotes. Two molecules of each of the four core histones (H2A, H2B, H3, and H4) form an octamer, around which approximately 146 bp of DNA is wrapped in repeating units, called nucleosomes. The linker histone, H1, interacts with linker DNA between nucleosomes and functions in the compaction of chromatin into higher order structures. The protein has antibacterial and antifungal antimicrobial activity. The main transcript variant of this gene is intronless and encodes a replication-dependent histone that is a member of the histone H2B family. This transcript variant lacks a polyA tail but instead contains a palindromic termination element. This gene is found in the large histone gene cluster on chromosome 6. [provided by RefSeq, Apr 2020]

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US