

Product datasheet for RC217897L4V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

NEDD4 2 (NEDD4L) (NM_015277) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: NEDD4 2 (NEDD4L) (NM_015277) Human Tagged ORF Clone Lentiviral Particle

Symbol: NEDD4L

Synonyms: hNEDD4-2; NEDD4-2; NEDD4.2; PVNH7; RSP5

Mammalian Cell

Selection:

Puromycin

Vector: pLenti-C-mGFP-P2A-Puro (PS100093)

Tag: mGFP

ACCN: NM_015277 **ORF Size:** 2865 bp

ORF Nucleotide

The ORF insert of this clone is exactly the same as(RC217897).

Sequence:
OTI Disclaimer:

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeg: NM 015277.2

 RefSeq Size:
 4871 bp

 RefSeq ORF:
 2868 bp

 Locus ID:
 23327

 UniProt ID:
 Q96PU5

 Cytogenetics:
 18q21.31

Domains: C2, HECT, WW

Protein Families: Druggable Genome





NEDD4 2 (NEDD4L) (NM_015277) Human Tagged ORF Clone Lentiviral Particle - RC217897L4V

Protein Pathways: Endocytosis, Ubiquitin mediated proteolysis

MW: 109.8 kDa

Gene Summary: This gene encodes a member of the Nedd4 family of HECT domain E3 ubiquitin ligases. HECT

domain E3 ubiquitin ligases transfer ubiquitin from E2 ubiquitin-conjugating enzymes to protein substrates, thus targeting specific proteins for lysosomal degradation. The encoded protein mediates the ubiquitination of multiple target substrates and plays a critical role in epithelial sodium transport by regulating the cell surface expression of the epithelial sodium channel, ENaC. Single nucleotide polymorphisms in this gene may be associated with essential hypertension. Alternatively spliced transcript variants encoding multiple isoforms

have been observed for this gene. [provided by RefSeq, Mar 2012]