

Product datasheet for RC218250L4

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

NOR1 (NR4A3) (NM_006981) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: NOR1 (NR4A3) (NM_006981) Human Tagged Lenti ORF Clone

Tag: mGFP Symbol: NOR1

Synonyms: CHN; CSMF; MINOR; NOR1

Mammalian Cell Puromycin

Selection:

Vector: pLenti-C-mGFP-P2A-Puro (PS100093)

E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide The ORF insert of this clone is exactly the same as(RC218250).

Sequence:

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF

ACCN: NM_006981

ORF Size: 1878 bp





NOR1 (NR4A3) (NM_006981) Human Tagged Lenti ORF Clone - RC218250L4

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 006981.2</u>

 RefSeq Size:
 5635 bp

 RefSeq ORF:
 1881 bp

 Locus ID:
 8013

 UniProt ID:
 Q92570

Cytogenetics: 9q31.1

Domains: HOLl, zf-C4

Protein Families: Druggable Genome, Nuclear Hormone Receptor, Transcription Factors


MW: 68 kDa

Gene Summary: This gene encodes a member of the steroid-thyroid hormone-retinoid receptor superfamily.


The encoded protein may act as a transcriptional activator. The protein can efficiently bind the NGFI-B Response Element (NBRE). Three different versions of extraskeletal myxoid chondrosarcomas (EMCs) are the result of reciprocal translocations between this gene and other genes. The translocation breakpoints are associated with Nuclear Receptor Subfamily 4, Group A, Member 3 (on chromosome 9) and either Ewing Sarcome Breakpoint Region 1 (on chromosome 22), RNA Polymerase II, TATA Box-Binding Protein-Associated Factor, 68-KD (on chromosome 17), or Transcription factor 12 (on chromosome 15). Multiple transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Mar 2010]



Product images:



Circular map for RC218250L4



Double digestion of RC218250L4 using Sgfl and Mlul $\,$