

Product datasheet for RC218358L2V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Monoacylglycerol Lipase (MGLL) (NM_007283) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: Monoacylglycerol Lipase (MGLL) (NM_007283) Human Tagged ORF Clone Lentiviral Particle

Symbol: Monoacylglycerol Lipase
Synonyms: HU-K5; HUK5; MAGL; MGL

Mammalian Cell

Selection:

None

Vector: pLenti-C-mGFP (PS100071)

Tag: mGFP

ACCN: NM_007283

ORF Size: 939 bp

ORF Nucleotide

The ORF insert of this clone is exactly the same as(RC218358).

Sequence:
OTI Disclaimer:

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeg: NM 007283.5

 RefSeq Size:
 4617 bp

 RefSeq ORF:
 942 bp

 Locus ID:
 11343

 UniProt ID:
 Q99685

 Cytogenetics:
 3q21.3

Domains: abhydrolase

Protein Families: Druggable Genome, Protease





Monoacylglycerol Lipase (MGLL) (NM_007283) Human Tagged ORF Clone Lentiviral Particle – RC218358L2V

Protein Pathways: Glycerolipid metabolism, Metabolic pathways

MW: 34.1 kDa

Gene Summary: This gene encodes a serine hydrolase of the AB hydrolase superfamily that catalyzes the

conversion of monoacylglycerides to free fatty acids and glycerol. The encoded protein plays a critical role in several physiological processes including pain and nociperception through hydrolysis of the endocannabinoid 2-arachidonoylglycerol. Expression of this gene may play a

role in cancer tumorigenesis and metastasis. Alternatively spliced transcript variants

encoding multiple isoforms have been observed for this gene. [provided by RefSeq, Feb 2012]