

Product datasheet for RC218864L4

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

LRP5 (NM_002335) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: LRP5 (NM_002335) Human Tagged Lenti ORF Clone

Tag: mGFP Symbol: LRP5

Synonyms: BMND1; EVR1; EVR4; HBM; LR3; LRP-5; LRP-7; LRP7; OPPG; OPS; OPTA1; PCLD4; VBCH2

Mammalian Cell Puromycin

Selection:

Vector: pLenti-C-mGFP-P2A-Puro (PS100093)


E. coli Selection: Chloramphenicol (34 ug/mL)


ORF Nucleotide The ORF insert of this clone is exactly the same as(RC218864).

Sequence:

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF

ACCN: NM_002335

ORF Size: 4845 bp



LRP5 (NM_002335) Human Tagged Lenti ORF Clone - RC218864L4

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 002335.1</u>

RefSeq Size:5100 bpRefSeq ORF:4848 bpLocus ID:4041

 UniProt ID:
 O75197

 Cytogenetics:
 11q13.2

Domains: | Idl_recept_b, Idl_recept_a, EGF, EGF

Protein Families: | Druggable Genome, Transmembrane

Protein Pathways: Wnt signaling pathway

MW: 179 kDa


Gene Summary: This gene encodes a transmembrane low-density lipoprotein receptor that binds and

internalizes ligands in the process of receptor-mediated endocytosis. This protein also acts as a co-receptor with Frizzled protein family members for transducing signals by Wnt proteins and was originally cloned on the basis of its association with type 1 diabetes mellitus in humans. This protein plays a key role in skeletal homeostasis and many bone density related diseases are caused by mutations in this gene. Mutations in this gene also cause familial exudative vitreoretinopathy. Alternative splicing results in multiple transcript variants.


[provided by RefSeq, May 2014]



Product images:



Circular map for RC218864L4



Double digestion of RC218864L4 using Sgfl and Mlul