

Product datasheet for RC219402L3

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Xanthine Oxidase (XDH) (NM_000379) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: Xanthine Oxidase (XDH) (NM_000379) Human Tagged Lenti ORF Clone

Tag: Myc-DDK

Symbol: Xanthine Oxidase

Synonyms: XAN1; XO; XOR

Mammalian Cell

Selection:

Puromycin

Vector: pLenti-C-Myc-DDK-P2A-Puro (PS100092)

E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide

The ORF insert of this clone is exactly the same as(RC219402).

Sequence:

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF.

ACCN: NM_000379

ORF Size: 3999 bp



Xanthine Oxidase (XDH) (NM_000379) Human Tagged Lenti ORF Clone - RC219402L3

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 000379.2</u>

RefSeq Size: 4428 bp
RefSeq ORF: 4002 bp
Locus ID: 7498

UniProt ID: P47989

Cytogenetics: 2p23.1

Protein Families: Druggable Genome

Protein Pathways: Caffeine metabolism, Drug metabolism - other enzymes, Metabolic pathways, Purine

metabolism

MW: 146.2 kDa


Gene Summary: Xanthine dehydrogenase belongs to the group of molybdenum-containing hydroxylases

involved in the oxidative metabolism of purines. The encoded protein has been identified as a moonlighting protein based on its ability to perform mechanistically distinct functions. Xanthine dehydrogenase can be converted to xanthine oxidase by reversible sulfhydryl oxidation or by irreversible proteolytic modification. Defects in xanthine dehydrogenase cause xanthinuria, may contribute to adult respiratory stress syndrome, and may potentiate influenza infection through an oxygen metabolite-dependent mechanism. [provided by

RefSeq, Jan 2014]



Product images:



Circular map for RC219402L3