

## Product datasheet for RC220502L3

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## Collagen XVII (COL17A1) (NM\_000494) Human Tagged Lenti ORF Clone

#### **Product data:**

**Product Type:** Expression Plasmids

Product Name: Collagen XVII (COL17A1) (NM\_000494) Human Tagged Lenti ORF Clone

Tag: Myc-DDK

Symbol: Collagen XVII

Synonyms: BA16H23.2; BP180; BPA-2; BPAG2; EBR2A; ERED; JEB-I; LAD-1

Mammalian Cell

Selection:

Puromycin

**Vector:** pLenti-C-Myc-DDK-P2A-Puro (PS100092)

E. coli Selection: Chloramphenicol (34 ug/mL)

**ORF Nucleotide** 


The ORF insert of this clone is exactly the same as(RC220502).

Sequence:

**Restriction Sites:** Sgfl-Mlul

**Cloning Scheme:** 





<sup>\*</sup> The last codon before the Stop codon of the ORF.

**ACCN:** NM\_000494

ORF Size: 4491 bp





### Collagen XVII (COL17A1) (NM\_000494) Human Tagged Lenti ORF Clone - RC220502L3

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

**RefSeq:** <u>NM 000494.2</u>

RefSeq Size: 5610 bp
RefSeq ORF: 4494 bp
Locus ID: 1308

UniProt ID: Q9UMD9

Cytogenetics: 10q25.1

**Protein Families:** Transmembrane

MW: 150.2 kDa

**Gene Summary:** This gene encodes the alpha chain of type XVII collagen. Unlike most collagens, collagen XVII

is a transmembrane protein. Collagen XVII is a structural component of hemidesmosomes, multiprotein complexes at the dermal-epidermal basement membrane zone that mediate adhesion of keratinocytes to the underlying membrane. Mutations in this gene are associated

with both generalized atrophic benign and junctional epidermolysis bullosa. Two


homotrimeric forms of type XVII collagen exist. The full length form is the transmembrane

protein. A soluble form, referred to as either ectodomain or LAD-1, is generated by

proteolytic processing of the full length form. [provided by RefSeq, Jul 2008]



# **Product images:**



Circular map for RC220502L3