

Product datasheet for RC220572L3V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

AK3L1 (AK4) (NM_013410) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: AK3L1 (AK4) (NM_013410) Human Tagged ORF Clone Lentiviral Particle

Symbol: AK3L1

Synonyms: AK3; AK3L1; AK3L2; AK 4

Mammalian Cell

Selection:

Puromycin

Vector: pLenti-C-Myc-DDK-P2A-Puro (PS100092)

Tag: Myc-DDK
ACCN: NM 013410

ORF Size: 669 bp

ORF Nucleotide

The ORF insert of this clone is exactly the same as(RC220572).

•

Sequence:

OTI Disclaimer:

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeg: NM 013410.2

 RefSeq Size:
 2199 bp

 RefSeq ORF:
 672 bp

 Locus ID:
 205

 UniProt ID:
 P27144

 Cytogenetics:
 1p31.3

Domains: ADK, ADK_lid

Protein Families: Druggable Genome





AK3L1 (AK4) (NM_013410) Human Tagged ORF Clone Lentiviral Particle - RC220572L3V

Protein Pathways: Metabolic pathways, Purine metabolism

MW: 25.1 kDa

Gene Summary: This gene encodes a member of the adenylate kinase family of enzymes. The encoded

protein is localized to the mitochondrial matrix. Adenylate kinases regulate the adenine and guanine nucleotide compositions within a cell by catalyzing the reversible transfer of phosphate group among these nucleotides. Five isozymes of adenylate kinase have been identified in vertebrates. Expression of these isozymes is tissue-specific and developmentally regulated. A pseudogene for this gene has been located on chromosome 17. Three transcript variants encoding the same protein have been identified for this gene. Sequence alignment suggests that the gene defined by NM_013410, NM_203464, and NM_001005353 is located on

chromosome 1. [provided by RefSeq, Jul 2008]