

Product datasheet for RC221512L3

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

UBF1 (UBTF) (NM_001076684) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: UBF1 (UBTF) (NM_001076684) Human Tagged Lenti ORF Clone

Tag: Myc-DDK

Symbol: UBF1

Synonyms: CONDBA; NOR-90; UBF; UBF-1; UBF1; UBF2

Mammalian Cell

Selection:

Puromycin

Vector: pLenti-C-Myc-DDK-P2A-Puro (PS100092)

E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide

The ORF insert of this clone is exactly the same as(RC221512).

Sequence:

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF.

ACCN: NM_001076684

ORF Size: 2181 bp



UBF1 (UBTF) (NM_001076684) Human Tagged Lenti ORF Clone - RC221512L3

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 001076684.1</u>

RefSeq Size: 4604 bp
RefSeq ORF: 2184 bp
Locus ID: 7343
UniProt ID: P17480

Cytogenetics: 17q21.31

Protein Families: Transcription Factors

MW: 84.8 kDa


Gene Summary: This gene encodes a member of the HMG-box DNA-binding protein family. The encoded

protein plays a critical role in ribosomal RNA transcription as a key component of the preinitiation complex, mediating the recruitment of RNA polymerase I to rDNA promoter regions. The encoded protein may also play important roles in chromatin remodeling and pre-rRNA processing, and its activity is regulated by both phosphorylation and acetylation. Alternatively spliced transcript variants encoding multiple isoforms have been observed for this gene. Pseudogenes of this gene are located on the short arm of chromosomes 3, 11 and X and the

long arm of chromosome 11. [provided by RefSeq, Aug 2011]



Product images:



Circular map for RC221512L3