

Product datasheet for RC221860L2

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

IL1 Receptor II (IL1R2) (NM_004633) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: IL1 Receptor II (IL1R2) (NM 004633) Human Tagged Lenti ORF Clone

Tag: mGFP

Symbol: IL1 Receptor II

Synonyms: CD121b; CDw121b; IL-1R-2; IL-1RT-2; IL-1RT2; IL1R2c; IL1RB

Mammalian Cell None

Selection:

Vector: pLenti-C-mGFP (PS100071)

E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide


The ORF insert of this clone is exactly the same as(RC221860).

Sequence:

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





st The last codon before the Stop codon of the ORF.

ACCN: NM_004633

ORF Size: 1194 bp



ORÏGENE

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

Druggable Genome, Transmembrane

RefSeq: <u>NM 004633.3</u>

 RefSeq Size:
 1484 bp

 RefSeq ORF:
 1197 bp

 Locus ID:
 7850

 UniProt ID:
 P27930

Cytogenetics: 2q11.2

Protein Families:

Protein Pathways: Cytokine-cytokine receptor interaction, Hematopoietic cell lineage, MAPK signaling pathway

MW: 45.42 kDa

Gene Summary: The protein encoded by this gene is a cytokine receptor that belongs to the interleukin 1


receptor family. This protein binds interleukin alpha (IL1A), interleukin beta (IL1B), and interleukin 1 receptor, type I(IL1R1/IL1RA), and acts as a decoy receptor that inhibits the activity of its ligands. Interleukin 4 (IL4) is reported to antagonize the activity of interleukin 1 by inducing the expression and release of this cytokine. This gene and three other genes form a cytokine receptor gene cluster on chromosome 2q12. Alternative splicing results in multiple transcript variants and protein isoforms. Alternative splicing produces both membrane-

bound and soluble proteins. A soluble protein is also produced by proteolytic cleavage.

[provided by RefSeq, May 2012]



Product images:



Circular map for RC221860L2