

Product datasheet for RC222311L2V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Frizzled 8 (FZD8) (NM_031866) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: Frizzled 8 (FZD8) (NM_031866) Human Tagged ORF Clone Lentiviral Particle

Symbol: FZD8

Synonyms: FZ-8; hFZ8

Mammalian Cell None

Selection:

Vector: pLenti-C-mGFP (PS100071)

Tag: mGFP

ACCN: NM_031866 **ORF Size:** 2082 bp

ORF Nucleotide

The ORF insert of this clone is exactly the same as(RC222311).

•

Sequence:

OTI Disclaimer:

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeg: NM 031866.1

 RefSeq Size:
 3195 bp

 RefSeq ORF:
 2085 bp

 Locus ID:
 8325

 UniProt ID:
 Q9H461

 Cytogenetics:
 10p11.21

Protein Families: Druggable Genome, Transmembrane





Frizzled 8 (FZD8) (NM_031866) Human Tagged ORF Clone Lentiviral Particle - RC222311L2V

Protein Pathways: Basal cell carcinoma, Colorectal cancer, Melanogenesis, Pathways in cancer, Wnt signaling

pathway

MW: 73.1 kDa

Gene Summary: This intronless gene is a member of the frizzled gene family. Members of this family encode

seven-transmembrane domain proteins that are receptors for the Wingless type MMTV integration site family of signaling proteins. Most frizzled receptors are coupled to the beta-catenin canonical signaling pathway. This gene is highly expressed in two human cancer cell lines, indicating that it may play a role in several types of cancer. The crystal structure of the

extracellular cysteine-rich domain of a similar mouse protein has been determined.

[provided by RefSeq, Jul 2008]