

## Product datasheet for RC223096L4V

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## TGIF (TGIF1) (NM\_173209) Human Tagged ORF Clone Lentiviral Particle

**Product data:** 

Product Type: Lentiviral Particles

**Product Name:** TGIF (TGIF1) (NM\_173209) Human Tagged ORF Clone Lentiviral Particle

Symbol: TGIF1

Synonyms: HPE4; TGIF

Mammalian Cell Puromycin

Selection:

**Vector:** pLenti-C-mGFP-P2A-Puro (PS100093)

Tag: mGFP

**ACCN:** NM\_173209

ORF Size: 756 bp

**ORF Nucleotide** 

The ORF insert of this clone is exactly the same as(RC223096).

OTI Disclaimer:

Sequence:

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**RefSeg:** NM 173209.1

 RefSeq Size:
 1382 bp

 RefSeq ORF:
 759 bp

 Locus ID:
 7050

 UniProt ID:
 Q15583

 Cytogenetics:
 18p11.31

Protein Families: Druggable Genome, Stem cell - Pluripotency, Stem cell relevant signaling - TGFb/BMP

signaling pathway, Transcription Factors







MW:

27.5 kDa

**Gene Summary:** 

The protein encoded by this gene is a member of the three-amino acid loop extension (TALE) superclass of atypical homeodomains. TALE homeobox proteins are highly conserved transcription regulators. This particular homeodomain binds to a previously characterized retinoid X receptor responsive element from the cellular retinol-binding protein II promoter. In addition to its role in inhibiting 9-cis-retinoic acid-dependent RXR alpha transcription activation of the retinoic acid responsive element, the protein is an active transcriptional corepressor of SMAD2 and may participate in the transmission of nuclear signals during development and in the adult. Mutations in this gene are associated with holoprosencephaly type 4, which is a structural anomaly of the brain. Alternative splicing has been observed at this locus and multiple splice variants encoding distinct isoforms are described. [provided by RefSeq, Jul 2013]