

## Product datasheet for RC223753L3

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

### EVA1 (MPZL2) (NM\_144765) Human Tagged Lenti ORF Clone

#### **Product data:**

**Product Type: Expression Plasmids** 

**Product Name:** EVA1 (MPZL2) (NM\_144765) Human Tagged Lenti ORF Clone

Tag: Myc-DDK

Symbol: EVA1

Synonyms: DFNB111; EVA; EVA1

**Mammalian Cell** Puromycin

Selection:

Vector: pLenti-C-Myc-DDK-P2A-Puro (PS100092)

E. coli Selection: Chloramphenicol (34 ug/mL)

The ORF insert of this clone is exactly the same as(RC223753). **ORF Nucleotide** 

Sequence:

**Restriction Sites:** 

Sgfl-Mlul

**Cloning Scheme:** 





<sup>\*</sup> The last codon before the Stop codon of the ORF.

NM\_144765 ACCN:

**ORF Size:** 645 bp



#### EVA1 (MPZL2) (NM\_144765) Human Tagged Lenti ORF Clone - RC223753L3

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

**RefSeq:** <u>NM 144765.1</u>

RefSeq Size: 1396 bp
RefSeq ORF: 648 bp
Locus ID: 10205
UniProt ID: 060487
Cytogenetics: 11q23.3

**Domains:** ig, IGv, IG

**Protein Families:** Transmembrane

**MW:** 24.5 kDa

**Gene Summary:** Thymus development depends on a complex series of interactions between thymocytes and


the stromal component of the organ. Epithelial V-like antigen (EVA) is expressed in thymus epithelium and strongly downregulated by thymocyte developmental progression. This gene is expressed in the thymus and in several epithelial structures early in embryogenesis. It is highly homologous to the myelin protein zero and, in thymus-derived epithelial cell lines, is poorly soluble in nonionic detergents, strongly suggesting an association to the cytoskeleton. Its capacity to mediate cell adhesion through a homophilic interaction and its selective regulation by T cell maturation might imply the participation of EVA in the earliest phases of thymus organogenesis. The protein bears a characteristic V-type domain and two potential N-glycosylation sites in the extracellular domain; a putative serine phosphorylation site for

casein kinase 2 is also present in the cytoplasmic tail. Two transcript variants encoding the

same protein have been found for this gene. [provided by RefSeq, Jul 2008]



# **Product images:**



Circular map for RC223753L3