

Product datasheet for RC224710L3

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

OriGene Technologies, Inc.

DGKG (NM 001080744) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: DGKG (NM_001080744) Human Tagged Lenti ORF Clone

Tag: Myc-DDK

Symbol: DGKG

Synonyms: DAGK3; DGK-GAMMA

Mammalian Cell Puromycin

Selection:

Vector: pLenti-C-Myc-DDK-P2A-Puro (PS100092)

E. coli Selection: Chloramphenicol (34 ug/mL)


ORF Nucleotide The ORF insert of this clone is exactly the same as(RC224710).

Sgfl-Mlul

Sequence:

Restriction Sites: Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF.

ACCN: NM_001080744

ORF Size: 2298 bp





DGKG (NM_001080744) Human Tagged Lenti ORF Clone - RC224710L3

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 001080744.1</u>

 RefSeq Size:
 5743 bp

 RefSeq ORF:
 2301 bp

 Locus ID:
 1608

 UniProt ID:
 P49619

Cytogenetics: 3q27.2-q27.3

Protein Families: Druggable Genome

Protein Pathways: Glycerolipid metabolism, Glycerophospholipid metabolism, Metabolic pathways,

Phosphatidylinositol signaling system

MW: 86.3 kDa


Gene Summary: This gene encodes an enzyme that is a member of the type I subfamily of diacylglycerol

kinases, which are involved in lipid metabolism. These enzymes generate phosphatidic acid by catalyzing the phosphorylation of diacylglycerol, a fundamental lipid second messenger that activates numerous proteins, including protein kinase C isoforms, Ras guanyl nucleotide-releasing proteins and some transient receptor potential channels. Diacylglycerol kinase gamma has been implicated in cell cycle regulation and in the negative regulation of macrophage differentiation in leukemia cells. Multiple transcript variants encoding different

isoforms have been found for this gene. [provided by RefSeq, Jul 2008]



Product images:



Circular map for RC224710L3