

Product datasheet for RC230493L3V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

PFKM (NM_001166688) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: PFKM (NM_001166688) Human Tagged ORF Clone Lentiviral Particle

Symbol: PFKM

Synonyms: ATP-PFK; GSD7; PFK-1; PFK-A; PFK1; PFKA; PFKX; PPP1R122

Mammalian Cell

Selection:

Puromycin

Vector: pLenti-C-Myc-DDK-P2A-Puro (PS100092)

Tag: Myc-DDK

ACCN: NM_001166688

ORF Size: 2340 bp

ORF Nucleotide

The ORF insert of this clone is exactly the same as(RC230493).

Sequence:

OTI Disclaimer:

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeq: NM 001166688.1, NP 001160160.1

 RefSeq Size:
 3177 bp

 RefSeq ORF:
 2343 bp

 Locus ID:
 5213

 UniProt ID:
 P08237

Cytogenetics: 12q13.11

Protein Families: Druggable Genome





PFKM (NM_001166688) Human Tagged ORF Clone Lentiviral Particle - RC230493L3V

Protein Pathways: Fructose and mannose metabolism, Galactose metabolism, Glycolysis / Gluconeogenesis,

Metabolic pathways, Pentose phosphate pathway

MW: 85.2 kDa

Gene Summary: Three phosphofructokinase isozymes exist in humans: muscle, liver and platelet. These

isozymes function as subunits of the mammalian tetramer phosphofructokinase, which catalyzes the phosphorylation of fructose-6-phosphate to fructose-1,6-bisphosphate. Tetramer composition varies depending on tissue type. This gene encodes the muscle-type isozyme. Mutations in this gene have been associated with glycogen storage disease type VII,

also known as Tarui disease. Alternatively spliced transcript variants have been described.

[provided by RefSeq, Nov 2009]