

## **Product datasheet for RC231559**

## ST20 (NM\_001199757) Human Tagged ORF Clone

**Product data:** 

**Product Type:** Expression Plasmids

Tag: Myc-DDK

Symbol: ST20

Synonyms: HCCS-1

Mammalian Cell Neomycin

Selection:

Vector: pCMV6-Entry (PS100001)

E. coli Selection: Kanamycin (25 ug/mL)

ORF Nucleotide Sequence: >RC231559 ORF sequence

Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

ACGATTGCCAACACATACTTCTACTTT

**ACGCGT**ACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT

ACAAGGATGACGACGATAAG**GTTTAA** 

**Protein Sequence:** >RC231559 protein sequence

Red=Cloning site Green=Tags(s)

MARSRLTATSVSQVQENGFVKKLEPKSGWMTFLEVTGKICEMLFCPEAILLTRKDTPYCETGLIFLTLTK

TIANTYFYF

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Chromatograms: <a href="https://cdn.origene.com/chromatograms/mk8044\_e03.zip">https://cdn.origene.com/chromatograms/mk8044\_e03.zip</a>

Restriction Sites: Sgfl-Mlul



OriGene Technologies, Inc.


Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com


EU: info-de@origene.com CN: techsupport@origene.cn

9620 Medical Center Drive, Ste 200



## **Cloning Scheme:**





<sup>\*</sup> The last codon before the Stop codon of the ORF

**ACCN:** NM\_001199757

ORF Size: 237 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

Note: Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um

filter is required.

**RefSeq:** <u>NM\_001199757.1</u>, <u>NP\_001186686.1</u>

RefSeq Size: 536 bp

RefSeq ORF: 240 bp

**Locus ID:** 400410


Cytogenetics: 15q25.1

**MW:** 9 kDa

Gene Summary: May act as a tumor suppressor. Promotes apoptosis of cancer cells. [UniProtKB/Swiss-Prot

Function]

## **Product images:**



Circular map for RC231559