

Product datasheet for **SC304680**

TAS2R1 (NM_019599) Human Untagged Clone

Product data:


Product Type:	Expression Plasmids
Product Name:	TAS2R1 (NM_019599) Human Untagged Clone
Tag:	Tag Free
Symbol:	TAS2R1
Synonyms:	T2R1; TRB7
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Fully Sequenced ORF:	>SC304680 representing NM_019599. Blue=Insert sequence Red=Cloning site Green=Tag(s)

```
GCTCGTTTGTGAAACCGTCAGAATTTTGTAAACGACTACTATAGGGCGCCGGGAATTCGTCGACTG
GATCCGGTACCGAGGAGATCTGCCGCCGCGATCGCC
ATGCTAGAGTCTCACCTCATTATCTATTTTCTTCTTGCAAGTACAATTTCTTCTGGGATTTTCACA
AATGGCATCATTGTGGTGGTGAATGGCATTGACTTGATCAAGCACAGAAAAATGGCTCCGCTGGATCTC
CTTCTTTCTGTCTGGCAGTTTCTAGAATTTTCTGCAGTTGTTTCATCTTCTACGTTAATGTGATTGTT
ATCTTCTCATAGAATTCATCATGTGTTCTGCGAATTGTGCAATTCTCTATTTATAAATGAATTGGAA
CTTTGGCTTGCCACATGGCTCGGCGTTTCTATTGTGCAAGGTTGCCAGCGTCCGTCACCCACTCTTC
ATCTGGTTGAAGATGAGGATATCCAAGTGGTCCCATGGATGATCCTGGGGTCTCTGCTATATGTATCT
ATGATTTGTGTTTCCATAGCAAATATGCAGGGTTTATGGTCCCATACTTCTTAAGGAAATTTTCTCC
CAAAATGCCACAATTCAAAAGAAGATACACTGGCTATACAGATTTTCTTTTGTGCTGAGTTCTCA
GTGCCATTGCTTATCTTCTTTTGTGTTTGTCTTGTATTTCTCTCTGGGGAGGCACACCCGGCAA
ATGAGAAACACAGTGGCCGGCAGCAGGGTCTGGCAGGGGTGCACCCATCAGCGCGTTGCTGTCTATC
CTGTCTTCTGATCCTCTACTTCTCCACTGCATGATAAAAGTTTTCTCTTCTCTAAAGTTTCAC
ATCAGAAGGTTTCATCTTCTGTTCTTTCATCCTTGTGATTGGTATATACCTTCTGGACACTCTCTCATC
TTAATTTTAGGAAATCCTAAATTGAAACAAAATGCAAAAAGTTCTCTCCACAGTAAGTGCTGTCA
TGA
ACGCGTACGCGGCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGAT
TACAAGGATGACGACGATAAGGTTTAAACGGCCGGC
```

Restriction Sites: SgfI-MluI



[View online »](#)

Plasmid Map:


ACCN: NM_019599

Insert Size: 900 bp

OTI Disclaimer: Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_019599.2](#)

RefSeq Size: 1355 bp

RefSeq ORF: 900 bp

Locus ID: 50834

UniProt ID: [Q9NYW7](#)

Cytogenetics: 5p15.31

Protein Families: Druggable Genome, Transmembrane

Protein Pathways: Taste transduction

MW: 34.3 kDa

Gene Summary: This gene encodes a member of a family of candidate taste receptors that are members of the G protein-coupled receptor superfamily and that are specifically expressed by taste receptor cells of the tongue and palate epithelia. This intronless taste receptor gene encodes a 7-transmembrane receptor protein, functioning as a bitter taste receptor. This gene is mapped to chromosome 5p15, the location of a genetic locus (PROP) that controls the detection of the bitter compound 6-n-propyl-2-thiouracil. [provided by RefSeq, Jul 2008]