

## **Product datasheet for SC330754**

## ARFRP1 (NM 001267548) Human Untagged Clone

## **Product data:**

**Product Type:** Expression Plasmids

Product Name: ARFRP1 (NM\_001267548) Human Untagged Clone

Tag: Tag Free
Symbol: ARFRP1

Synonyms: ARL18; ARP; Arp1

**Vector:** pCMV6-Entry (PS100001)

Fully Sequenced ORF: >SC330754 representing NM\_001267548.

Blue=Insert sequence Red=Cloning site Green=Tag(s)

AAGTGTGTCGTGCGGAATGTGCACCGGCCGCCGCGGCAGAGGGACATCACGTAG

**Restriction Sites:** Sgfl-Mlul


**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



## Plasmid Map:



**ACCN:** NM\_001267548

**Insert Size:** 606 bp

**OTI Disclaimer:** Our molecular clone sequence data has been matched to the reference identifier above as a

point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative

RNA splicing form or single nucleotide polymorphism (SNP).

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).



**Reconstitution Method:** 

- 1. Centrifuge at 5,000xg for 5min.
- 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
- 3. Close the tube and incubate for 10 minutes at room temperature.
- 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
- 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: <u>NM 001267548.1</u>

 RefSeq Size:
 2472 bp

 RefSeq ORF:
 606 bp

 Locus ID:
 10139

 UniProt ID:
 Q13795

 Cytogenetics:
 20q13.33

 MW:
 22.6 kDa

**Gene Summary:** The protein encoded by this gene is a membrane-associated GTP-ase which localizes to the

plasma membrane and is related to the ADP-ribosylation factor (ARF) and ARF-like (ARL) proteins. This gene plays a role in membrane trafficking between the trans-Golgi network and endosomes. Alternatively spliced transcript variants encoding different isoforms have been

identified. [provided by RefSeq, May 2012]

Transcript Variant: This variant (7) differs in the 5' UTR, compared to variant 1, and encodes isoform A. Variants 1, 6, and 7 encode the same protein. Sequence Note: This RefSeq record was created from transcript and genomic sequence data to make the sequence consistent with the reference genome assembly. The genomic coordinates used for the transcript record

were based on transcript alignments.