

Product datasheet for TA501208AM

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

cGKI (PRKG1) Mouse Monoclonal Antibody (Biotin conjugated) [Clone ID: OTI9A4]

Product data:

Product Type: Primary Antibodies

Clone Name: OTI9A4

Applications: FC, IF, WB

Recommended Dilution: WB 1:2000, IF 1:100, FLOW 1:100

Reactivity: Human, Mouse, Rat

Host: Mouse Isotype: IgG2b

Clonality: Monoclonal

Immunogen: Full length human recombinant protein of human PRKG1 (NP_006249) produced in HEK293T

cell

Formulation: PBS (pH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.

Concentration: 0.5 mg/ml

Purification: Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Conjugation: Biotin

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 77.6 kDa

Gene Name: protein kinase cGMP-dependent 1

Database Link: NP 006249

Entrez Gene 19091 MouseEntrez Gene 54286 RatEntrez Gene 5592 Human

Q13976

Synonyms: 1; AAT8; cGK; cGK 1; cGK1; cGKI; cGKI-alpha; cGKI-BETA; PKG; PRKG1B; PRKGR1B

Protein Families: Druggable Genome, Protein Kinase


Protein Pathways: Gap junction, Long-term depression, Olfactory transduction, Vascular smooth muscle

contraction






Product images:




ENTRY control (Left lane) or pCMV6-ENTRY PRKG1 ([RC220986], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-PRKG1. Positive lysates [LY416766] (100ug) and [LC416766] (20ug) can be purchased separately from OriGene.

HEK293T cells were transfected with the pCMV6-




Anti-PRKG1 mouse monoclonal antibody ([TA501208]) immunofluorescent staining of COS7 cells transiently transfected by pCMV6-ENTRY PRKG1 ([RC220986]).



HEK293T cells transfected with either [RC220986] overexpress plasmid (Red) or empty vector control plasmid (Blue) were immunostained by anti-PRKG1 antibody ([TA501208]), and then analyzed by flow cytometry.





Flow cytometric Analysis of Jurkat cells, using anti-PRKG1 antibody ([TA501208]), (Red), compared to a nonspecific negative control antibody (TA50011), (Blue).