

Product datasheet for TA501693S

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

SULT2A1 Mouse Monoclonal Antibody [Clone ID: OTI7G10]

Product data:

Product Type: Primary Antibodies

Clone Name: OTI7G10

Applications: WB

Recommended Dilution: WB: 1:200 - 1:1000

Reactivity: Human
Host: Mouse
Isotype: IgG1

Clonality: Monoclonal

Immunogen: Full length human recombinant protein of human SULT2A1 (NP_003158) produced in

HEK293T cell.

Formulation: PBS (pH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.

Concentration: 0.72 mg/ml

Purification: Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 33.6 kDa

Gene Name: sulfotransferase family 2A member 1

Database Link: NP 003158

Entrez Gene 6822 Human

Q06520

Background: This gene encodes a member of the sulfotransferase family. Sulfotransferases aid in the

metabolism of drugs and endogenous compounds by converting these substances into more

hydrophilic water-soluble sulfate conjugates that can be easily excreted. This protein

catalyzes the sulfation of steroids and bile acids in the liver and adrenal glands, and may have a role in the inherited adrenal androgen excess in women with polycystic ovary syndrome.

[provided by RefSeq]







Synonyms:

DHEA-ST; DHEA-ST8; DHEAS; HST; hSTa; ST2; ST2A1; ST2A3; STD; SULT2A3

Product images:



HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY SULT2A1 ([RC204737], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-SULT2A1. Positive lysates [LY418856] (100ug) and [LC418856] (20ug) can be purchased separately from OriGene.



Western blot analysis of extracts (10ug) from 6 different cell lines by using anti-SULT2A1 monoclonal antibody (1:200).