

Product datasheet for TA502356AM

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Aguaporin 1 (AQP1) Mouse Monoclonal Antibody (Biotin conjugated) [Clone ID: OTI10C11]

Product data:

Product Type: Primary Antibodies

Clone Name: OTI10C11
Applications: FC, WB

Recommended Dilution: WB 1:2000, FLOW 1:100

Reactivity: Human, Mouse, Rat

Host: Mouse Isotype: IgG1

Clonality: Monoclonal

Immunogen: Full length human recombinant protein of human AQP1 (NP_932766) produced in HEK293T

cell

Formulation: PBS (pH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.

Concentration: 0.5 mg/ml

Purification: Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Conjugation: Biotin

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 28.3 kDa

Gene Name: aquaporin 1 (Colton blood group)

Database Link: NP 932766

Entrez Gene 11826 MouseEntrez Gene 25240 RatEntrez Gene 358 Human

P29972



Aquaporin 1 (AQP1) Mouse Monoclonal Antibody (Biotin conjugated) [Clone ID: OTI10C11] – TA502356AM


Background:

Aquaporins are a family of small integral membrane proteins related to the major intrinsic protein (MIP or AQP0). This gene encodes an aquaporin which functions as a molecular water channel protein. It is a homotetramer with 6 bilayer spanning domains and N-glycosylation sites. The protein physically resembles channel proteins and is abundant in erythrocytes and renal tubes. The gene encoding this aquaporin is a possible candidate for disorders involving imbalance in ocular fluid movement. Several transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq]


Synonyms: AQP-CHIP; CHIP28; CO

Protein Families: Druggable Genome, Ion Channels: Other, Transmembrane

Product images:



HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY AQP1 ([RC205304], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-AQP1. Positive lysates [LY403670] (100ug) and [LC403670] (20ug) can be purchased separately from OriGene.



HEK293T cells transfected with either [RC205304] overexpress plasmid (Red) or empty vector control plasmid (Blue) were immunostained by anti-AQP1 antibody ([TA502356]), and then analyzed by flow cytometry.