

Product datasheet for TA503599BM

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

ELK3 Mouse Monoclonal Antibody (HRP conjugated) [Clone ID: OTI3D9]

Product data:

Product Type: Primary Antibodies

Clone Name: OTI3D9

Applications: FC, IF, WB

Recommended Dilution: WB 1:500~2000, IF 1:100, FLOW 1:100

Reactivity: Human, Dog, Mouse, Rat

Host: Mouse IgG2a

Clonality: Monoclonal

Immunogen: Full length human recombinant protein of human ELK3(NP_005221) produced in HEK293T

cell

Formulation: PBS (pH 7.3) containing 1% BSA, 50% glycerol.

Concentration: 0.5 mg/ml

Purification: Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Conjugation: HRP

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 44.1 kDa

Gene Name: ETS transcription factor ELK3

Database Link: NP 005221

Entrez Gene 13713 MouseEntrez Gene 482613 DogEntrez Gene 2004 Human

P41970

Background: The protein encoded by this gene is a member of the ETS-domain transcription factor family

and the ternary complex factor (TCF) subfamily. Proteins in this subfamily regulate

transcription when recruited by serum response factor to bind to serum response elements. This protein is activated by signal-induced phosphorylation; studies in rodents suggest that it is a transcriptional inhibitor in the absence of Ras, but activates transcription when Ras is

present. [provided by RefSeq]







Synonyms: ERP; NET; SAP-2; SAP2

Protein Families: Transcription Factors


Product images:




HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY ELK3 ([RC203114], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-ELK3. Positive lysates [LY401602] (100ug) and [LC401602] (20ug) can be purchased separately from OriGene.



Western blot analysis of extracts (35ug) from 9 different cell lines by using anti-ELK3 monoclonal antibody.



Anti-ELK3 mouse monoclonal antibody ([TA503599]) immunofluorescent staining of COS7 cells transiently transfected by pCMV6-ENTRY ELK3 ([RC203114]).



HEK293T cells transfected with either [RC203114] overexpress plasmid (Red) or empty vector control plasmid (Blue) were immunostained by anti-ELK3 antibody ([TA503599]), and then analyzed by flow cytometry.