

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product datasheet for TA504366S

DPP8 Mouse Monoclonal Antibody [Clone ID: OTI1D2]

Product data:


Product Type:	Primary Antibodies
Clone Name:	OTI1D2
Applications:	IHC, WB
Recommended Dilution:	WB 1:500~1000, IHC 1:150
Reactivity:	Human, Dog, Rat, Mouse
Host:	Mouse
lsotype:	IgG1
Clonality:	Monoclonal
Immunogen:	Full length human recombinant protein of human DPP8(NP_569118) produced in HEK293T cell.
Formulation:	PBS (pH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.
Concentration:	1 mg/ml
Purification:	Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography (protein A/G)
Conjugation:	Unconjugated
Storage:	Store at -20°C as received.
Stability:	Stable for 12 months from date of receipt.
Predicted Protein Size:	101.2 kDa
Gene Name:	dipeptidyl peptidase 8
Database Link:	<u>NP 569118</u> Entrez Gene 74388 MouseEntrez Gene 315758 RatEntrez Gene 487605 DogEntrez Gene 54878 Human Q6V1X1




This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

	DPP8 Mouse Monoclonal Antibody [Clone ID: OTI1D2] – TA504366S
Background:	This gene encodes a member of the peptidase S9B family, a small family of dipeptidyl peptidases that are able to cleave peptide substrates at a prolyl bond. The encoded protein shares similarity with dipeptidyl peptidase IV in that it is ubiquitously expressed, and hydrolyzes the same substrates. These similarities suggest that, like dipeptidyl peptidase IV, this protein may play a role in T-cell activation and immune function. Alternatively spliced transcript variants encoding different isoforms have been described. [provided by RefSeq]
Synonyms:	DP8; DPRP1; MSTP141
Protein Families:	Druggable Genome, Protease, Transmembrane

Product images:





HEK293T cells were transfected with the pCMV6-ENTRY control (Cat# [PS100001], Left lane) or pCMV6-ENTRY DPP8 (Cat# [RC214685], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-DPP8(Cat# [TA504366]). Positive lysates [LY403323] (100ug) and [LC403323] (20ug) can be purchased separately from OriGene.




Western blot analysis of extracts (35ug) from 9 different cell lines by using anti-DPP8 monoclonal antibody.

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US







Western blot analysis of extracts (10ug) from a mouse cell line and 3 different mouse tissues by using anti-DPP8 monoclonal antibody (1:200).

Figure from citation: Western blot analysis of protein levels of DPP4/8/9 in 293E cells transfected with pcDNA3.1 (Mock), pcDNA3.1hDPP8 (DPP8) and pcDNA3.1-hDPP9 (DPP9), the purified recombinant human DPP4 protein (rhDPP4) was used as a positive control for the DPP4 antibody, antibodies targeting human DPP4/8/9 ([TA500733]/[TA504366]/[TA504040]) and β -actin ([TA310155]) were purchased from OriGene. <u>View Citation</u>

Immunohistochemical staining of paraffinembedded Adenocarcinoma of Human endometrium tissue using anti-DPP8 mouse monoclonal antibody. (Heat-induced epitope retrieval by 10mM citric buffer, pH6.0, 100°C for 10min, [TA504366])

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US