

# **Product datasheet for TA504642S**

### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## ATRIP Mouse Monoclonal Antibody [Clone ID: OTI9A4]

#### **Product data:**

**Product Type:** Primary Antibodies

Clone Name: OTI9A4

Applications: FC, IF, WB

**Recommended Dilution:** WB 1:500~2000, IF 1:100, FLOW 1:100

**Reactivity:** Human, Monkey

Host: Mouse Isotype: IgG2a

Clonality: Monoclonal

**Immunogen:** Human recombinant protein fragment corresponding to amino acids 42-309 of human

ATRIP(NP\_569055) produced in E.coli.

**Formulation:** PBS (pH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.

**Concentration:** 1.05 mg/ml

**Purification:** Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Conjugation: Unconjugated

**Storage:** Store at -20°C as received.

**Stability:** Stable for 12 months from date of receipt.

**Predicted Protein Size:** 85.7 kDa

**Gene Name:** ATR interacting protein

Database Link: NP 569055

Entrez Gene 710035 MonkeyEntrez Gene 84126 Human

O8WXE1

**Background:** The product of this gene is an essential component of the DNA damage checkpoint, and

binds to single-stranded DNA coated with replication protein A that accumulates at sites of DNA damage. The encoded protein interacts with the ataxia telangiectasia and Rad3 related protein, a checkpoint kinase, resulting in accumulation of the kinase at intranuclear foci induced by DNA damage. Multiple transcript variants encoding different isoforms have been

found for this gene. [provided by RefSeq]







Synonyms:

DKFZp762J2115; FLJ12343; MGC20625; MGC21482; MGC26740


# **Product images:**



HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY ATRIP ([RC223562], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-ATRIP. Positive lysates [LY408977] (100ug) and [LC408977] (20ug) can be purchased separately from OriGene.




Western blot analysis of extracts (35ug) from 9 different cell lines by using anti-ATRIP monoclonal antibody.



Anti-ATRIP mouse monoclonal antibody ([TA504642]) immunofluorescent staining of COS7 cells transiently transfected by pCMV6-ENTRY ATRIP ([RC223562]).





HEK293T cells transfected with either [RC223562] overexpress plasmid (Red) or empty vector control plasmid (Blue) were immunostained by anti-ATRIP antibody ([TA504642]), and then analyzed by flow cytometry.