

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product datasheet for TA802770S

OAS2 Mouse Monoclonal Antibody [Clone ID: OTI3C1]

Product data:

Product Type:	Primary Antibodies
Clone Name:	OTI3C1
Applications:	WB
Recommended Dilution:	WB 1:2000
Reactivity:	Human
Host:	Mouse
lsotype:	lgG2a
Clonality:	Monoclonal
Immunogen:	Human recombinant protein fragment corresponding to amino acids 60-335 of human OAS2 (NP_002526) produced in E.coli.
Formulation:	PBS (pH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.
Concentration:	1 mg/ml
Purification:	Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography (protein A/G)
Conjugation:	Unconjugated
Storage:	Store at -20°C as received.
Stability:	Stable for 12 months from date of receipt.
Predicted Protein Size:	78.6 kDa
Gene Name:	2'-5'-oligoadenylate synthetase 2
Database Link:	<u>NP_002526</u> <u>Entrez Gene 4939 Human</u> <u>P29728</u>



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

GRIGENE OAS2 Mouse Monoclonal Antibody [Clone ID: OTI3C1] – TA802770S

Background:This gene encodes a member of the 2-5A synthetase family, essential proteins involved in the
innate immune response to viral infection. The encoded protein is induced by interferons
and uses adenosine triphosphate in 2'-specific nucleotidyl transfer reactions to synthesize
2',5'-oligoadenylates (2-5As). These molecules activate latent RNase L, which results in viral
RNA degradation and the inhibition of viral replication. The three known members of this
gene family are located in a cluster on chromosome 12. Alternatively spliced transcript
variants encoding different isoforms have been described. [provided by RefSeq, Jul

Synonyms: MGC78578

Protein Families:

Druggable Genome

Product images:

170	-	
130	-	
100	-	
70	-	-
55	-	
40	-	
35	-	
25	-	
15	-1	
10	-	

HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY OAS2 ([RC208273], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-OAS2. Positive lysates [LY400905] (100ug) and [LC400905] (20ug) can be purchased separately from OriGene.

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US