

## **Product datasheet for TA805326S**

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## ASPA Mouse Monoclonal Antibody [Clone ID: OTI5C7]

#### **Product data:**

**Product Type:** Primary Antibodies

Clone Name: OTI5C7
Applications: WB

Recommended Dilution: WB 1:2000

Reactivity: Human, Mouse, Rat

Host: Mouse Isotype: IgG1

Clonality: Monoclonal

**Immunogen:** Human recombinant protein fragment corresponding to amino acids 77-313 of human ASPA

(NP\_000040) produced in E.coli.

**Formulation:** PBS (pH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.

Concentration: 1 mg/ml

**Purification:** Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Conjugation: Unconjugated

Storage: Store at -20°C as received.

**Stability:** Stable for 12 months from date of receipt.

**Predicted Protein Size:** 35.6 kDa

Gene Name: aspartoacylase

Database Link: NP 000040

Entrez Gene 11484 MouseEntrez Gene 79251 RatEntrez Gene 443 Human

P45381

Background: This gene encodes an enzyme that catalyzes the conversion of N-acetyl L-aspartic acid (NAA)

to aspartate and acetate. NAA is abundant in the brain where hydrolysis by aspartoacylase is thought to help maintain white matter. This protein is an NAA scavenger in other tissues. Mutations in this gene cause Canavan disease. Alternatively spliced transcript variants have

been found for this gene. [provided by RefSeq, Jul 2008]




### ASPA Mouse Monoclonal Antibody [Clone ID: OTI5C7] - TA805326S

Synonyms: ACY2; ASP

**Protein Families:** Druggable Genome

**Protein Pathways:** Alanine, aspartate and glutamate metabolism, Histidine metabolism

# **Product images:**



HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY ASPA ([RC206564], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-ASPA. Positive lysates [LY424954] (100ug) and [LC424954] (20ug) can be purchased separately from OriGene.