

Product datasheet for TA807710M

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

NDUFB11 Mouse Monoclonal Antibody [Clone ID: OTI2E10]

Product data:

Product Type: Primary Antibodies

Clone Name: OTI2E10

Applications: WB

Recommended Dilution: WB 1:2000

Reactivity: Human Host: Mouse

Isotype: IgG1

Clonality: Monoclonal

Immunogen: Human recombinant protein fragment corresponding to amino acids 30-163 of human

NDUFB11(NP_061929) produced in E.coli.

Formulation: PBS (pH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.

Concentration: 1 mg/ml

Purification: Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 18.2 kDa

Gene Name: NADH:ubiquinone oxidoreductase subunit B11

Database Link: NP 061929

Entrez Gene 54539 Human

O9NX14




Background:

NDUFB11 is a component of mitochondrial complex I. Complex I catalyzes the first step in the electron transport chain, the transfer of 2 electrons from NADH to ubiquinone, coupled to the translocation of 4 protons across the membrane (Carroll et al., 2002 [PubMed 12381726]). [supplied by OMIM, Feb 2009]. Transcript Variant: This variant (2) uses a different splice site in the 3' coding region, compared to variant 1. The resulting protein (isoform 2) has a shorter C-terminus when it is compared to isoform 1. ##Evidence-Data-START## Transcript exon combination :: AY359056.1, BE781599.1 [ECO:0000332] RNAseq introns :: single sample supports all introns ERS025084, ERS025087 [ECO:0000348] ##Evidence-Data-END## ##RefSeq-Attributes-START## gene product(s) localized to mito. :: reported by MitoCarta ##RefSeq-Attributes-END##

Synonyms: CI-ESSS; ESSS; Np15; NP17.3; P17.3

Protein Families: Transmembrane

Product images:



HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY NDUFB11 ([RC213937], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-NDUFB11 (1:2000). Positive lysates [LY412795] (100ug) and [LC412795] (20ug) can be purchased separately from OriGene.