

## TOUR RESEARCH

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

# Product datasheet for TA807740

### FBXO8 Mouse Monoclonal Antibody [Clone ID: OTI3E8]

#### Product data:

Product Type:	Primary Antibodies
Clone Name:	OTI3E8
Applications:	WB
Recommended Dilution:	WB 1:2000
Reactivity:	Human, Mouse, Rat
Host:	Mouse
lsotype:	lgG2a
Clonality:	Monoclonal
Immunogen:	Human recombinant protein fragment corresponding to amino acids 1-231 of human FBXO8(NP_036312) produced in E.coli.
Formulation:	PBS (pH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.
Concentration:	1 mg/ml
Purification:	Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography (protein A/G)
Conjugation:	Unconjugated
Storage:	Store at -20°C as received.
Stability:	Stable for 12 months from date of receipt.
Predicted Protein Size:	36.9 kDa
Gene Name:	F-box protein 8
Database Link:	<u>NP_036312</u> <u>Entrez Gene 306436 RatEntrez Gene 26269 Human</u> <u>Q9NRD0</u>



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US


#### **GRIGENE** FBXO8 Mouse Monoclonal Antibody [Clone ID: OTI3E8] – TA807740

Background:This gene encodes a member of the F-box protein family which is characterized by an<br/>approximately 40 amino acid motif, the F-box. The F-box proteins constitute one of the four<br/>subunits of the ubiquitin protein ligase complex called SCFs (SKP1-cullin-F-box), which<br/>function in phosphorylation-dependent ubiquitination. The F-box proteins are divided into 3<br/>classes: Fbws containing WD-40 domains, Fbls containing leucine-rich repeats, and Fbxs<br/>containing either different protein-protein interaction modules or no recognizable motifs. The<br/>protein encoded by this gene belongs to the Fbxs class. It contains a C-terminal amino acid<br/>sequence that bears a significant similarity with a portion of yeast Sec7p, a critical regulator<br/>of vesicular protein transport. This human protein may interact with ADP-ribosylation<br/>factor(s)(ARFs) and exhibit ARF-GEF (guanine nucleotide exchange factor) activity. [provided<br/>by RefSeq, Jul 2008]

Synonyms:	DC10; FBS; FBX8

Protein Families: Druggable Genome

#### **Product images:**



HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY FBXO8 ([RC202154], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-FBXO8 (1:2000). Positive lysates [LY415927] (100ug) and [LC415927] (20ug) can be purchased separately from OriGene.

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US