

Product datasheet for TA807929AM

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

MSH6 Mouse Monoclonal Antibody (Biotin conjugated) [Clone ID: OTI5D1]

Product data:

Product Type: Primary Antibodies

Clone Name: OTI5D1

Applications: IHC, WB

Reactivity: WB 1:2000, IHC 1:150 **Reactivity:** Human, Mouse, Rat

Host: Mouse Isotype: IgG1

Clonality: Monoclonal

Immunogen: Human recombinant protein fragment corresponding to amino acids 1-280 of human

MSH6(NP_000170) produced in E.coli.

Formulation: PBS (pH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.

Concentration: 0.5 mg/ml

Purification: Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Conjugation: Biotin

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Gene Name: mutS homolog 6

Database Link: NP 000170

Entrez Gene 17688 MouseEntrez Gene 100360342 RatEntrez Gene 2956 Human

P52701





Background:


This gene encodes a member of the DNA mismatch repair MutS family. In E. coli, the MutS protein helps in the recognition of mismatched nucleotides prior to their repair. A highly conserved region of approximately 150 aa, called the Walker-A adenine nucleotide binding motif, exists in MutS homologs. The encoded protein heterodimerizes with MSH2 to form a mismatch recognition complex that functions as a bidirectional molecular switch that exchanges ADP and ATP as DNA mismatches are bound and dissociated. Mutations in this gene may be associated with hereditary nonpolyposis colon cancer, colorectal cancer, and endometrial cancer. Transcripts variants encoding different isoforms have been described. [provided by RefSeq, Jul 2013]

Synonyms: GTBP; GTMBP; HNPCC5; HSAP; MMRCS3; p160

Protein Families: Druggable Genome, Stem cell - Pluripotency


Protein Pathways: Colorectal cancer, Mismatch repair, Pathways in cancer

Product images:




Equivalent amounts of cell lysates (10 ug per lane) of wild-type HeLa cells (WT, Cat# LC810HELA) and MSH6-Knockout hela cells (KO, Cat# [LC810099]) were separated by SDS-PAGE and immunoblotted with anti-MSH6 monoclonal antibody [TA807929]. Then the blotted membrane was stripped and reprobed with anti-β-actin ([TA811000]) as a loading control (1:500).





HEK293T cells were transfected with the pCMV6-ENTRY control (Cat# [PS100001], Left lane) or pCMV6-ENTRY MSH6 (Cat# [RC202469], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-MSH6 (Cat# [TA807929])(1:2000).



Immunohistochemical staining of paraffinembedded Adenocarcinoma of Human colon tissue using anti-MSH6 mouse monoclonal antibody. (Heat-induced epitope retrieval by 1mM EDTA in 10mM Tris buffer (pH8.5) at 120°C for 3min, [TA807929]) (1:150)