

Product datasheet for TA808882AM

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

PTK9 (TWF1) Mouse Monoclonal Antibody (Biotin conjugated) [Clone ID: OTI10E6]

Product data:

Product Type: Primary Antibodies

Clone Name: OTI10E6

Applications: WB

Recommended Dilution: WB 1:2000

Reactivity: Human, Mouse, Rat

Host: Mouse Isotype: IgG2b

Clonality: Monoclonal

Immunogen: Human recombinant protein fragment corresponding to amino acids 140-384 of human

TWF1(NP_002813) produced in E.coli.

Formulation: PBS (pH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.

Concentration: 0.5 mg/ml

Purification: Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Conjugation: Biotin

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 43.7 kDa

Gene Name: twinfilin actin binding protein 1

Database Link: NP 002813

Entrez Gene 19230 MouseEntrez Gene 315265 RatEntrez Gene 5756 Human

Q12792

Background: This gene encodes twinfilin, an actin monomer-binding protein conserved from yeast to

mammals. Studies of the mouse counterpart suggest that this protein may be an actin monomer-binding protein, and its localization to cortical G-actin-rich structures may be

regulated by the small GTPase RAC1. [provided by RefSeq, Jul 2008]


Synonyms: A6; PTK9






Protein Families: Druggable Genome, Protein Kinase

Product images:





HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY TWF1 ([RC207215], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-TWF1 (1:2000). Positive lysates [LY401004] (100ug) and [LC401004] (20ug) can be purchased separately from OriGene.

Equivalent amounts of cell lysates (10 ug per lane) of wild-type HeLa cells (WT, Cat# LC810HELA) and TWF1-Knockout HeLa cells (KO, Cat# [LC832145]) were separated by SDS-PAGE and immunoblotted with anti-TWF1 monoclonal antibody [TA808882] (1:2000). Then the blotted membrane was stripped and reprobed with anti-HSP90 antibody as a loading control.