

# **Product datasheet for TA812766**

### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## **TAGLN2 Mouse Monoclonal Antibody [Clone ID: OTI7A5]**

#### **Product data:**

**Product Type:** Primary Antibodies

Clone Name: OTI7A5

**Applications:** WB

Recommended Dilution: WB 1:500

Reactivity: Human, Mouse, Rat

Host: Mouse Isotype: IgG1

Clonality: Monoclonal

Immunogen: Full length human recombinant protein of human TAGLN2 (NP\_003555) produced in

HEK293T cell.

**Formulation:** PBS (pH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.

Concentration: 1 mg/ml

**Purification:** Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Conjugation: Unconjugated

**Storage:** Store at -20°C as received.

**Stability:** Stable for 12 months from date of receipt.

Predicted Protein Size: 22.2 kDa

Gene Name: transgelin 2

Database Link: NP 003555

Entrez Gene 21346 MouseEntrez Gene 304983 RatEntrez Gene 8407 Human

P37802

**Background:** The protein encoded by this gene is similar to the protein transgelin, which is one of the

earliest markers of differentiated smooth muscle. The specific function of this protein has not yet been determined, although it is thought to be a tumor suppressor. Multiple transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Mar


2013]






Synonyms: HA1756

# **Product images:**



HEK293T cells were transfected with the pCMV6-ENTRY control (Cat# [PS100001], Left lane) or pCMV6-ENTRY TAGLN2 (Cat# [RC203473], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-TAGLN2 (Cat# TA812766)(1:500). Positive lysates [LY418584] (100ug) and [LC418584] (20ug) can be purchased separately from OriGene.



Western blot analysis of extracts (35ug) from 2 different cell lines by using anti-TAGLN2 monoclonal antibody (1:500).