

# **Product datasheet for TA812819M**

### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## MSF (SEPT9) Mouse Monoclonal Antibody [Clone ID: OTI2B12]

### **Product data:**

**Product Type:** Primary Antibodies

Clone Name: OTI2B12

Applications: WB

Recommended Dilution: WB 1:500~2000

Reactivity: Human
Host: Mouse
Isotype: IgG1

Clonality: Monoclonal

Immunogen: Full length human recombinant protein of human SEPT9 (NP\_006631) produced in HEK293T

cell.

**Formulation:** PBS (pH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.

Concentration: 1 mg/ml

**Purification:** Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Conjugation: Unconjugated

**Storage:** Store at -20°C as received.

**Stability:** Stable for 12 months from date of receipt.

**Predicted Protein Size:** 63.5 kDa **Gene Name:** septin 9

Database Link: NP 006631

Entrez Gene 10801 Human

O9UHD8




#### Background:

This gene is a member of the septin family involved in cytokinesis and cell cycle control. This gene is a candidate for the ovarian tumor suppressor gene. Mutations in this gene cause hereditary neuralgic amyotrophy, also known as neuritis with brachial predilection. A chromosomal translocation involving this gene on chromosome 17 and the MLL gene on chromosome 11 results in acute myelomonocytic leukemia. Multiple alternatively spliced transcript variants encoding different isoforms have been described. [provided by RefSeq, Mar 2009]


Synonyms: AF17q25; MSF; MSF1; NAPB; PNUTL4; SEPT9; SeptD1; SINT1

**Protein Families:** Druggable Genome

### **Product images:**



HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY SEPT9 ([RC200264], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-SEPT9 (1:2000).



Western blot analysis of extracts (35ug) from 4 cell lines lysates by using anti-SEPT9 monoclonal antibody (1:500).