

#### Product datasheet for TA812986BM

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

### p75 NGF Receptor (NGFR) Mouse Monoclonal Antibody (HRP conjugated) [Clone ID: OTI8A7]

**Product data:** 

**Product Type:** Primary Antibodies

Clone Name: OTI8A7

Applications: FC

Recommended Dilution: FLOW 1:100

Reactivity: Human, Mouse, Rat

Host: Mouse Isotype: IgG2b

Clonality: Monoclonal

Immunogen: Full length human recombinant protein of human Ngfr (NP\_002498) produced in HEK293T

cell

**Formulation:** PBS (pH 7.3) containing 1% BSA, 50% glycerol.

**Concentration:** 0.5 mg/ml

**Purification:** Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Conjugation: HRP

**Storage:** Store at -20°C as received.

**Stability:** Stable for 12 months from date of receipt.

**Predicted Protein Size:** 45.18 kDa

**Gene Name:** nerve growth factor receptor

Database Link: NP 002498

Entrez Gene 18053 MouseEntrez Gene 24596 RatEntrez Gene 4804 Human

P08138

**Background:** Nerve growth factor receptor contains an extracellular domain containing four 40-amino acid

repeats with 6 cysteine residues at conserved positions followed by a serine/threonine-rich region, a single transmembrane domain, and a 155-amino acid cytoplasmic domain. The cysteine-rich region contains the nerve growth factor binding domain. [provided by RefSeq,

Jul 2008]






# p75 NGF Receptor (NGFR) Mouse Monoclonal Antibody (HRP conjugated) [Clone ID: OTI8A7] – TA812986BM

Synonyms: CD271; Gp80-LNGFR; p75(NTR); p75NTR; TNFRSF16

**Protein Families:** Druggable Genome, Transmembrane

**Protein Pathways:** Cytokine-cytokine receptor interaction, Neurotrophin signaling pathway

## **Product images:**



Flow cytometric analysis of living 293T cells transfected with NGFR overexpression plasmid ([RC207966]), Red)/empty vector ([PS100001], Blue) using anti-NGFR antibody ([TA812986]). Cells incubated with a non-specific antibody (Green) were used as isotype control (1:100).