

Product datasheet for TP304628

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

EVA1 (MPZL2) (NM_005797) Human Recombinant Protein

Product data:

Product Type: Recombinant Proteins

Description: Recombinant protein of human myelin protein zero-like 2 (MPZL2), transcript variant 1, 20 μg

Species: Human
Expression Host: HEK293T

Expression cDNA Clone >RC204628 protein sequence or AA Sequence: Red=Cloning site Green=Tags(s)

MYGKSSTRAVLLLLGIQLTALWPIAAVEIYTSRVLEAVNGTDARLKCTFSSFAPVGDALTVTWNFRPLDG GPEQFVFYYHIDPFQPMSGRFKDRVSWDGNPERYDASILLWKLQFDDNGTYTCQVKNPPDVDGVIGEIRL SVVHTVRFSEIHFLALAIGSACALMIIIVIVVVLFQHYRKKRWAERAHKVVEIKSKEEERLNQEKKVSVY

LEDTD

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Tag: C-Myc/DDK
Predicted MW: 21.7 kDa

Concentration: >0.05 µg/µL as determined by microplate BCA method

Purity: > 80% as determined by SDS-PAGE and Coomassie blue staining

Buffer: 25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol

Preparation: Recombinant protein was captured through anti-DDK affinity column followed by

conventional chromatography steps.

Note: For testing in cell culture applications, please filter before use. Note that you may experience

some loss of protein during the filtration process.

Storage: Store at -80°C.

Stability: Stable for 12 months from the date of receipt of the product under proper storage and

handling conditions. Avoid repeated freeze-thaw cycles.

RefSeg: NP 005788

Locus ID: 10205

UniProt ID: O60487, A0A024R3K1





RefSeq Size: 2871

Cytogenetics: 11q23.3 RefSeq ORF: 645

Synonyms: DFNB111; EVA; EVA1


Summary: Thymus development depends on a complex series of interactions between thymocytes and

the stromal component of the organ. Epithelial V-like antigen (EVA) is expressed in thymus epithelium and strongly downregulated by thymocyte developmental progression. This gene is expressed in the thymus and in several epithelial structures early in embryogenesis. It is highly homologous to the myelin protein zero and, in thymus-derived epithelial cell lines, is poorly soluble in nonionic detergents, strongly suggesting an association to the cytoskeleton. Its capacity to mediate cell adhesion through a homophilic interaction and its selective regulation by T cell maturation might imply the participation of EVA in the earliest phases of thymus organogenesis. The protein bears a characteristic V-type domain and two potential N-glycosylation sites in the extracellular domain; a putative serine phosphorylation site for casein kinase 2 is also present in the cytoplasmic tail. Two transcript variants encoding the same protein have been found for this gene. [provided by RefSeq, Jul 2008]

Same protein have been found for this gener (provided by Neise

Protein Families: Transmembrane

Product images:



Coomassie blue staining of purified MPZL2 protein (Cat# TP304628). The protein was produced from HEK293T cells transfected with MPZL2 cDNA clone (Cat# [RC204628]) using MegaTran 2.0 (Cat# [TT210002]).