

Product datasheet for TP317359L

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

PSMD10 (NM_170750) Human Recombinant Protein

Product data:

Product Type: Recombinant Proteins

Description: Recombinant protein of human proteasome (prosome, macropain) 26S subunit, non-ATPase,

10 (PSMD10), transcript variant 2, 1 mg

Species: Human Expression Host: HEK293T

Expression cDNA Clone >RC217359 representing NM_170750 or AA Sequence: Red=Cloning site Green=Tags(s)

MEGCVSNLMVCNLAYSGKLEELKESILADKSLATRTDQDSRTALHWACSAGHTEIVEFLLQLGVPVNDKD DAGWSPLHIAASAGRDEIVKALLGKGAQVNAVNQNGCTPLHYAASKNRHEIAVMLLEGGANPDAKDHYEA

TAMHRAAAKDT

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Tag: C-Myc/DDK

Predicted MW: 16 kDa

Concentration: >0.05 μg/μL as determined by microplate BCA method

Purity: > 80% as determined by SDS-PAGE and Coomassie blue staining

Buffer: 25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol

Preparation: Recombinant protein was captured through anti-DDK affinity column followed by conventional

chromatography steps.

Note: For testing in cell culture applications, please filter before use. Note that you may experience

some loss of protein during the filtration process.

Storage: Store at -80°C.

Stability: Stable for 12 months from the date of receipt of the product under proper storage and

handling conditions. Avoid repeated freeze-thaw cycles.

RefSeq: NP 736606

Locus ID: 5716

UniProt ID: 075832





PSMD10 (NM_170750) Human Recombinant Protein - TP317359L

RefSeq Size: 1467

Cytogenetics: Xq22.3 RefSeq ORF: 453

Synonyms: dJ889N15.2; p28; p28(GANK)


Summary: This gene encodes a subunit of the PA700/19S complex, which is the regulatory component of

> the 26S proteasome. The 26S proteosome complex is required for ubiquitin-dependent protein degradation. This protein is a non-ATPase subunit that may be involved in protein-protein interactions. Aberrant expression of this gene may paly a role in tumorigenesis. Two transcripts

encoding different isoforms have been described. Pseudogenes have been identified on

chromosomes 3 and 20.[provided by RefSeq, Mar 2011]

Product images:



Coomassie blue staining of purified PSMD10 protein (Cat# [TP317359]). The protein was produced from HEK293T cells transfected with PSMD10 cDNA clone (Cat# [RC217359]) using

MegaTran 2.0 (Cat# [TT210002]).