

## Product datasheet for **TR320841**

### **Pepsin (PGA4) Human shRNA Plasmid Kit (Locus ID 643847)**

#### **Product data:**

<b>Product Type:</b>	shRNA Plasmids
<b>Product Name:</b>	Pepsin (PGA4) Human shRNA Plasmid Kit (Locus ID 643847)
<b>Locus ID:</b>	643847
<b>Vector:</b>	pRS (TR20003)
<b>E. coli Selection:</b>	Ampicillin
<b>Mammalian Cell Selection:</b>	Puromycin
<b>Format:</b>	Retroviral plasmids
<b>Components:</b>	PGA4 - Human, 4 unique 29mer shRNA constructs in retroviral untagged vector(Gene ID = 643847). 5µg purified plasmid DNA per construct 29-mer scrambled shRNA cassette in pRS Vector, TR30012, included for free.
<b>RefSeq:</b>	<a href="#">NM_001079808</a> , <a href="#">NM_001079808.1</a> , <a href="#">NM_001079808.2</a> , <a href="#">NM_001079808.3</a> , <a href="#">BC150659</a> , <a href="#">BC152844</a> , <a href="#">BC171808</a> , <a href="#">BC171814</a> , <a href="#">BC171910</a> , <a href="#">BC171920</a> , <a href="#">NM_001079808.5</a>
<b>UniProt ID:</b>	<a href="#">P00790</a>
<b>Summary:</b>	This gene encodes a protein precursor of the digestive enzyme pepsin, a member of the peptidase A1 family of endopeptidases. The encoded precursor is secreted by gastric chief cells and undergoes autocatalytic cleavage in acidic conditions to form the active enzyme, which functions in the digestion of dietary proteins. This gene is found in a cluster of related genes on chromosome 11, each of which encodes one of multiple pepsinogens. Pepsinogen levels in serum may serve as a biomarker for atrophic gastritis and gastric cancer. [provided by RefSeq, Jul 2015]
<b>shRNA Design:</b>	These shRNA constructs were designed against multiple splice variants at this gene locus. To be certain that your variant of interest is targeted, please contact <a href="mailto:techsupport@origene.com">techsupport@origene.com</a> . If you need a special design or shRNA sequence, please utilize our <a href="#">custom shRNA service</a> .



[View online »](#)

**Performance  
Guaranteed:**

OriGene guarantees that the sequences in the shRNA expression cassettes are verified to correspond to the target gene with 100% identity. One of the four constructs at minimum are guaranteed to produce 70% or more gene expression knock-down provided a minimum transfection efficiency of 80% is achieved. Western Blot data is recommended over qPCR to evaluate the silencing effect of the shRNA constructs 72 hrs post transfection. To properly assess knockdown, the gene expression level from the included scramble control vector must be used in comparison with the target-specific shRNA transfected samples.

For non-conforming shRNA, requests for replacement product must be made within ninety (90) days from the date of delivery of the shRNA kit. To arrange for a free replacement with newly designed constructs, please contact Technical Services at [techsupport@origene.com](mailto:techsupport@origene.com). Please provide your data indicating the transfection efficiency and measurement of gene expression knockdown compared to the scrambled shRNA control (Western Blot data preferred).